

29 Lampton Ave Derwent Park Tas 7009 PHONE 6272 4327

sales@terracetrading.com.au www.terracetrading.com.au

GLAZING PRODUCT GUIDE

OPENING HOURS: 7.30am - 5pm Weekdays

CONTENTS:

Abrasives	17	Panel Shims 16
Adhesives Tapes	13	Pet Doors 8
Adhesives & Sealants	4 & 5	Plastic Methylated & Spray Bottles 7
Aluminium Cutting	17	Point Driver & Diamond Points 9mm 7
Backing Rod	5	Primers For Adhesives & Sealants 7
Multi Tool Blades For Power Tools	9	Putty 7
Cerium Oxide	7	PPE 14 & 15
Chemical Injection	22	Sealant Applicators 6
Cleaning Items	15	Sealant Tools 7
Dampcourse	16	Setting Block 16
Drill Bits HSS & Masonry	18	Silica Gel 7
Driver Bits	18	Sealants 3
Fasteners	19-21	Sealant Remover 6
Glass Cleaner	6	Small Joint Sealant 5
Glass Cutting	12	Spaghetti & Wall Plugs 22
Glazing Tools	10 & 11	Spatulas 7
Hinges	17	Spirits & Solvents 15
Knives	9	Threaded Rod 22
Lubricants	6	Tile Drilling 12
Markers	17	Vacuum Lifters 8
Nozzles	7	Window Packers 16
Nuts & Washers	22	

Terrace Trading is a small, family owned and proudly Tasmanian business serving the construction industry. We have small and large customers around the state and arrange freight as well as doing on-site deliveries and selling from our warehouse/shopfront in Derwent Park, Hobart. We work with our customers to select the most appropriate fastening or waterproofing solution or glazing product for a particular situation. By providing the correct product the first time, we help generate the best project outcomes for the trade professionals, handymen or DIYers who seek our advice.

SEALANTS



Bostik V2 Acetic Silicone: High performance acetic rapid cure glazing silicone. Available in black & translucent. Cartridge 15/box.



Bostik V60 silicone: High quality semistructrual neutral cure glazing silicone, potable approved as per AS4020-2005. Available in translucent, black, white, light grey and silver. Cartridge 15/box.



structural silicone:
Full structural
silicone neutral
cure that meets
ASTMC1184, -+35
joint movement
in matt black
finish only.
Cartridge 15/box.



Bostik Sanitary
Silicone 6S: Mould
and mildew resistant
neutral cure for
bathrooms. Available
in clear, translucent
and silver ash.
Other colours
available on request.
Cartridge 20/box



Bostik Zbond 616 Silicone: Neutral cure general purpose silicone, available in beige, sandstone and primrose. Cartridge 20/box



Soudal Glass & Glazing Silicone: Neutral cure glazing silicone, available in matt black, grey and translucent. Cartridge 15/box.



Soudal All Purpose
Silicone: Neutral cure
mould resistant silicone,
available in silver,
monument, woodland grey,
dune, jasper, windspray,
paper bark, surfmist,
medium grey and dark grey.
Cartridge 12/box.



Konstrukt Roof & Gutter Silicone: Neutral cure premium silicone, available in translucent and grey. Cartridge 20/box



Tremco SG300 2 structural silicone: Full structural silicone neutral cure that meets ASTMC1184, in 600ml black sausage only.



Soudal Fire Rated Sealant: 4 hour fire rated polymer, grey colour 600ml sausage. Meets AS1530.4, +-25%movement. 600ml sausage 12/box.

ADHESIVES & SEALANTS



Soudal T-Rex Turbo: Polymer adhesive/ sealant that bonds to most substrates and skins in 20 minutes. Contains no solvents, isocyanates or acids. Cartridge 12/box.



Soudal T-Rex Extreme: Polymer adhesive with 400kg initial tack. Ideal for applications like installing mirrors that require a very high initial tack. Cartridge 12/box.



Soudal T-Rex Crystal Clear: Polymer adhesive/ sealant where a crystal clear finish is required. Contains no solvents, isocyanates or acids. Cartridge 12/box.



Soudal T-Rex Fast Grab: Polymer adhesive/sealant that bonds to most substrates. Available in white, grey, silver, beige, black & translucent. Contains no solvents, isocyanates or acids. 12/box for cartridge & 600ml sausage 12/box.



Soudal SMx35 Seal & Stretch: Polymer sealant contains no solvents, isocyanates or acids. Joint movement -+20%. Colour cartridge available white, grey & black. 600Ml sausage colours in white, off white, grey, black, sandstone, beige and dark grey. Cartridge and sausage 12/box.



Soudal Multibond
SMx50 Seal &
Stick: Fast cure
polymer adhesive/
sealant that bonds
to most substrates,
contains no solvents,
isocyanates or acids.
Available in white,
grey and black, 600ml
sausage 12/box.



HB Fuller Fire Rated Acoustic Sealant: 4 hour fire rated water based grey sealant in cartridge and sausage. Meets AS1530.4. Cartridge 20/box and 600ml sausage 15/box.



HB Fuller: Fulaflex Polymer fire rated sealant. 600ml grey sausage AS1530.4 15/box.



Bostik Aluseal Small Joint Sealant: 20L and CRL Small Joint Sealant 4L.



HB Fuller: Water based white paintable gap filler.12/box.



HB Fuller Maxbond
Construction
Adhesive: Premium
solvent based
construction
adhesive for bonding
most common
building materials.
Cartridge 20/box.



HB Fuller Toolbox: Polymer adhesive/ sealant, contains no solvents, isocyanates or acids. Cartridge 12/box.



HB Fuller Fulaflex 625: Fulaflex Polymer adhesive/sealant, contains no solvents, isocyanates or acids. Grey and White 12/box.



Bostik Matrix FC: Fast cure polyurethane sealant and adhesive, bonds to most common building materials. Available in white, grey and black. Cartridge and sausages 20/box.



Polyurethane sealant bonds to most common building materials, -+50 joint movement. 600Ml sausages available in white, black, concrete grey, dark grey, off white, sandstone & redwood. 20/box.

BACKING ROD



Backing Rod Square: Open cell 20x30mmx2m strips. Also available in 15mm, 20mm, 25mm & 30mm round rolls.



Backing Rod: Closed cell white, available in 6mm, 10mm, 15mm, 20mm, 25mm, 30mm, 40mm & 50mm.

SEALANT APPLICATORS



B&L Barrel Applicator Gun 37cm: High quality brand for continuous trade use.



Soudal Barrel Applicator Gun 37cm:Good quality brand with an extra clear barrel.



Newborn Applicator Cartridge Gun: Good quality Newborn brand ratchet gun with drip-less function.



Svenic Applicator Cartridge Gun: Good quality English made silicone gun with drip-less function.



Soudal Applicator Cartridge Gun: High quality brand 18:1 ratio for the harder to gun out products like chemical injection or T-Rex with drip-less function.

LUBRICANT / SILICONE REMOVER / CLEANERS



Dymark Multi-Purpose Lubricant: 400g, 12/box.



Isopropyl Alcohol: Ideal for cleaning non-porous substrates before applying silicone, polyurethane, polymer etc. 300g aerosol 12/box.



Soudal Sealant Remover: Aerosol 400ml 12/box.



Dymark Silicone Lubricant: 350g, 6/box.



GHS Glass Cleaner: Glazier preferred, ammonia free 500g aerosol 12/box.

SEALANT NOZZLES

Applicator nozzles: standard 600ml sausage, long silicone nozzle, large 600ml nozzle and swivel nozzle.

SEALANT TOOLS



Silicone remover tool in red, glazing spatula in yellow and Soudal spatula in white. Bostik spatula in blue.



Dymark Sealant Applicator



Methylated Spirits Safety Bottle.



Plastic Spray Bottle: 500ml.

PRIMERS, PUTTY & ACCESSORIES



Soudal Finishing Soudal Surface
Solution: Tooling off solution for sealants, 1 litre.
Soudal Surface
Activator: Adhe promotor for no persurfaces



Soudal Surface Activator: Adhesion promotor for nonporous surfaces for silicones, polyurethanes and polymers, 500ml.



Soudal Surface Activator Aerosol: Adhesion promotor for non-porous surfaces for silicones, polyurethanes and polymers, 500ml.



Soudal Primer 150: Primer for porous surfaces for silicones and polymer products in 500ml.



Cerium Oxide: Mixed with water for light scratch removal in glass.



Felt Polishing Wheel: For use with cerium oxide.



Silica Gel: 1kg.



Whiting 1kg.



Bump - Ons: Clear flat 12.7x3.5mm for glass cushioning applications.



Push Points.



Point Driver 9mm & diamond points 9mm.



Robertson's Glazing Putty: Timber and steel frame 20kg, 10kg, 2kg & 400g

imber Frame Glazing

LIFTERS





GS500: 200mm vacuum lifter pump-up action, 56kg lifting capacity with 2 to 1 safety ratio and red safety indicator for faulty or leaking unit. Protective face cover included.



Knuckle Saver Lifter: For moving small light pieces of glass.

Twin Cup Vacuum lifter: Aluminium body lever action vacuum lifter, 80kg lifting capacity.

MEASURING TAPES



Sterling 8m metric rubber grip, double sided nylon coated blade measuring tape.



Sterling 5m metric rubber grip measuring tape.

PET DOORS



Transcat Cat
Door: Tough
polycarbonate
New Zealand made
cat door, 267mm
diameter hole for
single glaze and
275mm for double
glaze.



Transcat Dog Door: Tough
polycarbonate New
Zealand made dog
door, hole diameter
is 385mm.

KNIVES and BLADES



Sterling Ultimax Knife: Rubber grip 18mm snap off knife with screw dial lock.



Sterling Ultimax Knife: Rubber grip 18mm snap off knife with button lock.



Sterling Red-Rhino Knife: Extra heavy duty 25mm snap off knife with stainless sleeve.



Sterling Heavy Duty Blade: English made utility blade in 10 and 100 pack.





KDS 25mm Snap Off Blades: Japanese made .7mm thick with black coating for increased longevity.





Personna Single Edge **Razor Blades:** High quality .23mm thick in 100 pack.





2.













Bosch Multi Tool Blades:

- 1. Bosch 32x50mm blade for timber cutting 2608 661 626. Single & 5 Pack available.
- 2. Bosch Bi-Metal 32x50mm blade for metal and timber cutting 2608 661 629. Single & 5 Pack available.
- 3. Bosch Bi-Metal 32x50mm blade for metal cutting 2608 661 908 - 5 Pack available.
- 4. Bosch 32x50mm blade for hardwood cutting B2608 661 630. Single & 5 Pack available.
- 5. Alpha Diamond 32mm blade for brick and mortar H32DB.
- 6. Bosch Carbide 70mm blade for grout and soft tiles 2608 661 692.
- 7. Bosch Diamond 85mm blade for grout and soft tiles 2608 664 920.

GENERAL GLAZING TOOLS



Toledo Multi-Grip Pliers 300mm.



Toledo Combination Pliers 210mm.



Toledo Long Nose Pliers.



Leponitt Cut Running Pliers.



Leponitt Plate Pliers: 210mm.



Leponitt Goose Neck Pliers.



Sterling Duckbill Shears: Anvil type shears with graduated base plate for angled cuts.



Replacement blade for Sterling duckbill shears.



Replacement anvil for duckbill shears.



Sterling Universal Shears: Heavy duty anvil type shears for cutting setting block, timber beads, glazing rubber etc.



Replacement blade for universal shears.



Toledo File: Flat files, cut 1, 2 & 3 150 & 200mm.



Sterling Rhino Grip Hacksaw Frame.



Sterling Bi-Metal Hacksaw Blade 300mm: 18, 24 & 32 tooth.

GENERAL GLAZING TOOLS



Sterling Ultimax Chisels. 12mm 19mm 22mm 25mm 32mm 38mm 3 PIECE SET 12mm 19mm 25mm



Toledo Adjustable Wrench: 200, 250 & 300mm.



Thorex Soft Face Hammer: English made 38mm fibreglass handle with rubber grip. Replacement heads available.



Macsim Rivet Gun RT10: Good quality reduced nose rivet gun, up to 3/16 rivets.



Toledo Diagonal Cutters 200mm.



Jimmy Chisel: Pry bar.



White Rubber Mallet: Non marking 610g.



Fly Screen Roller: Banana shaped metal handle with 4mm wheel. Spare wheels available.



Vinyl Roller: 10mm wheel with Aluminium body. Spare wheels available.



Bohle Putty Knives: 19 & 32mm curved.



RedDevil Putty Knife: 32mm stiff blade.



Bohle Hack out Knife.



Sterling Heavy Duty Combination Square.

GLASS CUTTING / TILE DRILLING



Bosch Ceramic Tile Bit: Self starting dry cut tile drill bit for medium hardness of tile. Stocked in 3, 4, 5, 6, 8 & 10mm.



Heller Cera Expert: Self starting hard tile drill bit without the need for coolant. Stocked in 5, 6, 8 & 10mm.



Savage Diamond Core Drill: Economical alternative for drilling hard tiles. Water coolant required, stocked in 4, 5, 6, 6.5, 8, 10, 12, 19, 25, 32, 45, 50 & 68mm.



Alpha Diamond Dry Cut Core Bit: High quality waxed filled tile bit without the need for a coolant, stocked in 6, 6.5, 8 & 10mm.



Iccons Ceramic Tile Drill: For use in an angle grinder as a dry cut no lubricant required drill bit. Will drill through hard tiles quickly and effortlessly. Stocked in 6, 8, 10, 12, 25 & 35mm.




TCIP Toyo Glass Cutter: Japanese made cutter, reduced head size for lead light applications.



TCIS Toyo Glass Cutter: Japanese made standard glass cutter.



Bohle: High quality black braced L square, available in 600, 1350 & 1500mm.



Glass Speed Cutter: Production T-cutter with an automated oil feed available in 610mm 1220mm & 1880mm.







Auto lube turrets: black model to suit traditional speed cutters, grey model to suit newer style.



Circle cutter, available in 600 & 1200mm.



Bohle Cutting Turret: 6 wheel to suit some speed cutters.

TAPES



Safety Vision Strip – 10m roll with silver rectangles.



Safety Vision Strip – 10m roll 75mm wide in frosted and white.



Stylus Duct Tape: 48mmx30m 550/15 trade quality thickness. 48 rolls/box.



Aluminium Protective Tape: Black Italian made 48mmx66m, can be left applied up to 2 months for adhesive residue free taping. 36/box, other widths available.



Stylus Nashua Cloth Tape: Black gaffa/cloth tape 48mmx25m with aggressive adhesion.



Stylus Hy-Stik Masking Tape: Trade quality general purpose available in 18, 24, 36 & 48mm wide.



Stylus Hy-Stik Long Lasting Tape: Blue, interior/exterior up to 14 day clean release.
Available in 24 & 36mm widths.



Butyl Glazing Tape: 1 size only, 1.5x9x20m.



Norton High Bond Attachment Tape: Grey, US made with aggressive adhesive properties and high tensile strength. 2.3x24mmx16m.



Norton High Bond Translucent Tape: US made with very high adhesion properties. Used when a translucent finish is required. 1.6x6mmx33m.



Glazing Tape Single Sided PVC: Soft black glazing tape 9mm wide available in 1.6, 3.2, 4.8, 6.4 & 9.5mm thick, other sizes upon request. Boxes of 48.



Structural Glazing Tape V2100: US made, grey urethane single & double sided adhesive. Used for when compression of tape needs to be minimal. All widths 9mm others available upon request. Thicknesses 1.6, 3.2mm, 4.8mm, 6.4mm & 9.5mm. 24 rolls/box.



Glazing Tape Double Sided PVC: Medium-soft black glazing tape 9mm wide available in 1.6, 3.2, 4.8 & 6.4mm thick, other sizes upon request. Boxes of 24.



White Mirror Tape: White aggressive tack, double sided tape for installing mirrors while primary adhesive cures. Available in 1.5 & 3.2mm thick, width 18 & 24mm all by 33m in length.



Danger Tape: Yellow and black 'caution' tape 75mmx100m and red, white and black 'do not enter tape' 75mmx100m.

PPE



Maxisafe Hard Hat: White vented, AS1801.



Black Shield Glove: Tough black nitrile powder free disposable glove. Available in large and x large, boxes of 100.



Maxisafe Glove Clip: Fluro orange clip as required by some construction sites.



Chemical Mask: High quality Japanese made lightweight respirator. Comes with gas filters and P2 filters.



Glazing Glove: General purpose blue glazing glove, latex dipped for maximum grip on glass.



Beaver Brands Glove: Ninja Gripx general purpose glove.



Maxisafe Cut Resistant Glove: GKL251 – High quality cut 5 glove with level 4 abrasion resistance and up to 250 deg contact resistance. Latex dipped for maximum grip on glass. Available in medium, large and X large, packs of 12.



Sunscreen: SPF 50, 200ml, 500ml and 1 Litre.



Gelmax Gel Knee Pads



Maxisafe P2 Valved Respirators: Moulded, metal free components. Pre-shaped nose cushion and soft nose foam. AS1716.



MedIQ: Compact Kit 156 piece. Vehicle Kit 210 piece. Workplace kit 309 piece.



Safety Vests: Hi-Vis in yellow and orange, sizes from S to 3XL.



3M Earmuffs: H7A class 5 30DB rating.



Konstrukt ear plugs: Soft foam tapered ear plug with class 5 protection. 200 pairs to a box, can be ordered in pairs as well.



Pro Earmuffs: Python slimline class 5 31DB rating as per AS1270-2002. Light weight steel wire band construction.



Howard Leight Earplug Band: Lightweight with replaceable and washable buds, rated to 25DB as per AS1270.

PPE



Safety Glasses 'Evolve': New generation protective eye wear with removable dust & debris foam seal & lanyard. Clear and smoke lenses available. AS1337.1:2010, 12 per box.



KonSpex-GP Safety Eyewear: Light weight design with anti-fog lens and 99.9% UV protection. AS/NZS 1337.1:2010. 12/box.



VX2 Mack Premium Safety Eyewear: Anti-scratch and fog coating with rubberised nose piece and arms 100% UV protection and is AS/NZS 1337.1:2010 approved. 12/box.



Kevlar Wrist Gauntlet: Cut level 4, velcro wraparound style, one size fits all.



Nylon Wrist Gauntlet: Cut level 4, velcro wraparound style, one size fits all.



Wrist Gauntlet: Cut 4 padded kevlar gauntlet with thumb slot.



Gauntlet Sleeve: G-Force 280mm grey 13 guage Inotex, cut 5 sleeve. Available in S, M and L.

SPIRITS / SOLVENTS



Methylated Spirits: Available in 1, 5, & 20L.



Mineral Turpentine: Available in 1, 5, & 15L.



Acetone: 5L. Used as a cleaner.



Xylene: 1L and 5L, Used as a cleaner and stripper.

CLEANING



Aftek Handy Wipes: Wipes for removal of non cured silicones, polyurethanes and polymers etc.



Soudal Swipex: Wipes for removal of non cured silicones, polyurethanes and polymers.



Mixed Rags 15kg.



Cotton Rags White 10kg.

SETTING BLOCK



Single Glaze Blocks Black: 3x12x75mm Box Qty 1000

5x12x75mm Box Qty 1000 10x12x75mm Box Qty 500



Single Glaze Block Black:

3x12mmx50m Roll 5x12mmx50m Roll 10x12mmx50m Roll



Single Glaze Blocks Clear:

3x12x75mm Box Qty 1000 5x12x75mm Box Qty 1000 10x12x75mm Box Qty 500



Double Glaze Block Black:

Shore hardness A85+-5 3mmx28x50m Roll 6mmx28x30m Roll 12mmx28x50m Roll

DAMPCOURSE



Polythene Dampcourse: 110mmx30m, Boxes of 12.



Aluminium Dampcourse: 110mmx10m.

WINDOW PACKERS & SHIMS



Powers 400 PPENIXED PACKERS THE POWERS PACKER

Window Packers 75x36mm: CARDBOARD BOXES

1.6mm - Qty: 100 3.2mm - Qty: 100 5.0m - Qty: 100 6.4mm - Qty: 100

10mm - Qty: 100

Window Packers 75x36mm:

PLASTIC TUB 1.6mm - Qty: 800

3.2mm - Qty: 500

5.0mm - Qty: 400

6.4mm - Qty: 300

10mm - Qty: 200

Mixed Tub of 400:


Size x Quantity


1.6mm x 150 3.2mm x 90

5.0mm x 90

6.4mm x 20

10mm x 50





Panel Shims: Tilt-up panel construction packing shims, 150,x100mm. UV stable with 20 tonne rating. 1mm pack of 200, 2mm pack of 200, 3mm pack of 100, 5mm pack of 100, 10mm pack of 40, 15mm pack of 40 & 20mm pack of 30.

ABRASIVES



Sanding Block – Abrasive cleaner for raw aluminium in 120 & 240g.



German made flap disc: Zirconia coated, 100 & 125mm. 40 - 120g.



Austsaw Aluminium Blade: Premium triple chip blade, available in 215, 250 & 300mm. Others sizes upon request.



Bosch Thin Cut Off Wheels: German made 1mm thick Inox and aluminium/masonry cutting. Packs of 25.



Power File Belt for Portable Tools: 10x533mm & 13x455mm 60-320g belt size dependant.



Abrasive Belt for Glass: Australian made in 1330, 2690 & 3350mm from 60g-320g.



Abrasive Cork Belt For Glass: Australian made in 1330, 2690 & 3350mm.

HINGES



Stainless Hinge: Fast fix wrap around hinge, T6 aluminium alloy with stainless steel hinge pin and tough nylon caps and bushes.



Stainless Hinge: Aluminium and timber style, 100x76x2.5mm.

PENS | PENCILS | MARKERS



Artline Permanent Marker: Black A70 & A700 - 12/Pack.



Carpenters Pencils: Medium.



Chinagraph Pencils: White, Red & Black 12/Pack.



Liquid Chalk Marker: Glass and Aluminium marker, 6mm, wet wipe for removal.

DRILL AND DRIVER BITS



Nutsetters, Bit Holders and Security **Driver Bits** in various lengths.



Phillips and Square Drive Impact Resistant Driver Bits No 0-4 25-200mm drive type dependent.

Alpha Gold Series Drill Bits: Premium quality long series imperial & metric drill bits. Large selection available.



Alpha Gold Series Drill Bits 10 Pack: Imperial Carded Range: 5/64, 3/32 1/8, 9/64, 5/32, 11/64, 3/16, 13/64, 7/32, 15/64, 1/4, 5/16/, 3/8.

Metric 10 Pack: 2.5mm, 3.0mm, 3.5mm, 3.7mm, 4.0mm, 4.1mm, 4.5mm, 5.5mm, 6.0mm, 6.5mm, 7.0mm, 8.00mm.

Metric Carded Range: Single/Twin Pack 1mm, 1.5mm, 2.0mm, 2.5mm, 3.5mm, 4.0mm, 4.5mm, 5.0mm, 5.5mm, 6.0mm, 6.5mm, 7.0mm, 7.5mm, 8.0mm, 8.5mm, 9.0mm, 10mm, 10.5mm, 11.00mm, 11.5mm, 12.0mm, 12.5mm, 13.0mm



Bosch Multi-Construction Drill Bit:

German made for drilling thin metal, concrete, brick, timber and soft to medium tiles.

3x70mm 4x75mm 5x85mm 6x100mm 6.5x100mm 8x120mm 10x120mm



Projahn Rotary Hammer Drill Bit Rocket: German made SDS-Plus 5 cutter head for drilling through reinforced concrete.



Imperial 150mm Long

7/64, 1/8, 9/64, 5/32, 11/64 3/16, 13/64, 7/32, 1/4

Metric Long Series:

-	
3x130mm	8x165mm
4x146mm	8x315mm
5x152mm	10x178mm
5x315mm	10x315mm
6x156mm	12x197mm
6x315mm	13x203mm
6 5x315mm	13x315mm



Diameter $\, x \,$ Overall Length

Diameter	Х	Overall Lei
5mm	Χ	110mm
5mm	Χ	160mm
6mm	Χ	110mm
6mm	Χ	210mm
6.5mm	Χ	160mm
6.5mm	Χ	210mm
8mm	Χ	160mm
8mm	Χ	210mm
8mm	Χ	260mm
8mm	Χ	310mm
10mm	Χ	160mm
10mm	Χ	210mm
10mm	Χ	310mm
12mm	Χ	160mm
12mm	Χ	210mm
12mm	Χ	450mm
14mm	Χ	210mm
15mm	Χ	210mm
16mm	Χ	260mm
18mm	Χ	250mm
20mm	Χ	450mm
22mm	Χ	450mm
25mm	Χ	450mm
28mm	Χ	450mm
30mm	Χ	450mm



Alpha Countersink Bits:

Atpila countership bits.			
3 Flute	Single	Cross	
8.3mm	Flute	Hole	
10.4mm	10mm	10mm	
12.4mm		14.4mm	
14.4mm			
20mm			

FASTENERS



Chipboard Screws
Zinc Yellow Phillips Drive:

8gx20mm 8gx25mm 8gx32mm 8gx35mm 8gx40mm 8gx45mm 8gx50mm 10gx65mm 10gx75mm 10gx100mm

10gx125mm Galvanised Phillips Drive 10gx150mm Galvanised Phillips Drive



Type 17 Csk Zinc Yellow Phillips Drive:

10gx30mm 10gx40mm 10gx50mm 10gx75mm

Type 17 Csk Zinc Yellow Square Drive:

10gx30mm 10gx40mm 10gx50mm 10gx75mm



Wafer Metal Self Drilling Screw Zinc Yellow:

10gx16mm coarse thread 10gx16mm fine thread 10gx24mm fine thread 10gx30mm coarse thread

Wafer Metal Self Drilling Screw Galvanised:

10gx16mm coarse thread 10gx22mm fine thread 10gx22mm coarse thread 10gx30mm coarse thread 10gx30mm fine thread 10gx40mm coarse thread 10gx50mm coarse thread



Button Metal Self Drilling Screw Zinc Yellow:

8gx12mm 8gx16mm 8gx20mm 8gx25mm 8gx32mm



Metal Self Drilling Screws Hex Head Galvanised Series 500 Drills up to 10mm Steel:

12gx32mm 12gx50mm 12gx65mm 12gx75mm 12gx85mm 12gx75 Countersunk No 3 Square Drive 12gx32 Countersunk No 3 Phillips Drive



Hex Head Screw Bolt Galvanised 5.6 Carbon Steel:

 6x50mm
 10x75mm

 6x75mm
 10x100mm

 6x100mm
 10x150mm

 8x60mm
 12x75mm

 8x75mm
 12x100mm

 8x100mm
 12x150mm

 10x60mm
 16x100mm



Countersunk Head Screw Bolt Galvanised 5.6 Carbon Steel:

6x75mm 8x75mm 10x60mm 10x75mm 12x150mm



Countersunk Metal Self Drilling Screw Zinc Yellow: 10gx30mm coarse thread

10gx40mm fine thread 10gx50mm fine thread 10gx65mm fine thread

FASTENERS



Self Tapping Pan Phillips Drive 304 Stainless:

6qx10mm 8gx25mm 6qx12mm 8gx32mm 6qx16mm 8gx38mm 6gx20mm 8gx50mm 6gx25mm 8gx65mm 6qx32mm 8gx75mm 6gx38mm 10gx32mm 8gx10mm 10gx38mm 8gx12mm 10gx50mm 8gx16mm 10gx65mm 10gx75mm 8gx20mm



Self Tapping Countersunk Phillips Drive 304 Stainless:

6qx12mm 8gx25mm 6gx16mm 8gx32mm 8gx38mm 6gx20mm 8gx50mm 4 gauge head 8qx65mm 6gx20mm 8gx75mm 6gx25mm 10gx32mm 6gx32mm 10gx50mm 6gx38mm 10gx75mm 8gx12mm 10gx100mm 8gx16mm 8gx20mm



Self Tapping Screw Pan Head Square Drive 304 Stainless:

6qx12mm 8gx25mm 6qx16mm 8gx32mm 6qx20mm 8gx38mm 6qx25mm 8gx50mm 6qx32mm 8gx50mm Pilot Point 6gx38mm 6gx50mm 10gx12mm 8gx12mm 10gx25mm 8gx16mm 10gx38mm 8gx20mm 10gx50mm



Self Tapping Countersunk Square Drive 304 Stainless:

 6gx12mm
 8gx25mm

 6gx16mm
 8gx32mm

 6gx20mm
 8gx38mm

 6gx25mm
 8gx50mm

 6gx32mm
 10gx32mm

 6gx38mm
 10gx38 mm

 8gx16mm
 8gx20mm



Self Tapping Pan Phillips Drive Zinc Plate:

6gx10mm 8gx20mm 6qx12mm 8qx25mm 6qx16mm 8qx32mm 6qx20mm 8gx38mm 6gx25mm 8gx45mm 6gx32mm 8gx50mm 6gx38mm 10gx32mm 6gx50mm 10gx38mm 8gx10mm 10qx50mm 8gx12mm 10gx65mm 12gx50mm 8gx16mm



Self Tapping Countersunk Phillips Drive Zinc Plate:

8gx20mm 6gx10mm 6gx12mm 8gx25mm 6qx16mm 8gx32mm 6qx20mm 8gx38mm 6qx25mm 8gx50mm 6gx32mm 10gx12mm 6gx38mm 10gx25mm 6qx50mm 10gx32mm 8gx12mm 10qx38mm 10gx50mm 8gx16mm



Undercut Hinge Screw Phillips Drive 304 stainless:

8gx10mm 8gx12mm 8gx16mm 8gx20mm 10gx25mm Reduced Head Size 10gx12mm 8g Head 10x20mm 8 head



Hinge Screw Undercut Square Drive 304 Stainless:

8gx12mm 10gx12mm

FASTENERS



Rivet Aluminium Steel Countersink:

	Diameter	Grip - Range
42	1/8	1.6 - 3.2mm
44	1/8	4.8 - 6.4mm
46	1/8	7.9 - 9.5mm
54	5/32	4.8 - 6.4mm
56	5/32	7.9 - 9.5mm
64	3/16	4.8 - 6.4mm
66	3/16	7.9 - 9.5mm



Rivet Aluminium Steel:

	Diameter	Grip - Range
42	1/8	1.6 - 3.2mm
43	1/8	3.2 - 4.8mm
44	1/8	4.8 - 6.4mm
46	1/8	7.9 - 9.5mm
48	1/8	9.5 - 12.7mm
410	1/8	12.7 - 15.9mm
412	1/8	15.9 - 19.1mm
53	5/32	3.2 - 4.8mm
54	5/32	4.8 - 6.4mm
56	5/32	7.9 - 9.5mm
58	5/32	9.5 - 12.7mm
62	3/16	0.5 - 3.2mm
64	3/16	4.8 - 6.4mm
66	3/16	7.9 - 9.5mm
68	3/16	9.5 - 12.7mm
610	3/16	12.7 - 15.9mm
612	3/16	15.9 - 19.1mm



Rivet Aluminium Steel Painted Range:

IVIV	et Ataniniani Steet	ı an	iteu Kange.
43	Basalt	Oth	ner Coloured sizes
43	Bronze	42	Classic Cream
43	Classic Cream	42	Night Sky
43	Cottage Green	42	White
43	Cove	44	Classic Cream
43	Deep Ocean	44	Night Sky
43	Dune	44	White
43	Evening Haze	46	Classic Cream
43	Gully	46	Night Sky
43	Headland	46	White
43	Iron Stone	54	Classic Cream
43	Jasper	54	Deep Ocean
43	Mangrove	54	Night Sky
43	Monument	54	Shale Grey
43	Manor Red	54	White
43	Night Sky	56	Black
43	Paperbark		
43	Pale Eucalypt		
43	Shale Grey		
43	Surf Mist		

43 Terrain43 White43 Wallaby43 Woodland Grey43 Wilderness43 Windspray





Security Screw:

Type 17 Trilobular (round triangle) security drive screw. 10Gx25 & 40mm both in zinc yellow and galvanised. Security drive bits to suit available.

FASTENERS / CHEMICAL INJECTION



Hollow Wall Plugs:

 FMX1
 Nylon

 5x25mm
 Winged

 6x30mm
 5x25mm

 8x40mm
 6x30mm

 8x40mm
 8x40mm



Iccons Spaghetti: Red 6mmx50m & Green 5.5mmx50m.



Timber Reveal Staples: 16 gauge, 11mm crown Box Qty 10,000 16mm 19mm 25mm 38mm



Wall Plugs Bevelled: red, green, blue and orange in 38 & 50mm.



10x50mm

Threaded Rod: Available in zinc, galvanised and stainless. Diameter range 6-20mm and 1 & 3m lengths.



45mm

Plaster Board Anchors: Zinc & nylon in open and drill point end.



Hex Nuts and Washers: Zinc, galvanised and 316 stainless, 4-20mm. Dome nuts in 316 stainless.



Ramset Chemical Injection 101 380ml: Chemset 101 polyester for use in solid concrete including flooded holes. Ramset applicator gun required.



Iccons Chemical Injection Vinylester 300ml & 420ml: Styrene free, national code compliant, potable water approved including cracked concrete, seismic C1, water flooded holes and fire rated. Suits standard caulking gun, boxes of 10.



Iccons Chemical insection Hybrid Gen2 420ml: Styrene free, rapid cure, national code compliant. Potable water approved including cracked concrete. Seismic C1 & C2, water flooded holes and a 2 hour fire rating.



OUR SUPPLY PARTNERS

Allfix Staples Macsim Fasteners

Airco/Otter Fasteners Paramount Safety

Ardex **Paslode**

Pferd Abrasives Beaver Brands

Bordo Industrial Tools Powers Fasteners

Powercell Batteries Bostik

Bosch Ramset

Saint Gobain Abrasives Bremick Fasteners

Sekisui **Brighton Best**

Chemtools Sentinel Systems

Sheffield Blades Construction Chemicals

DTA Australia Sika

Dy-Mark Soudal

Fastaid First Aid Spot-On-Lasers

Stanley Black & Decker Foam Sealant

Glazier Hardware Supplies Stylus Tapes

Synergy Industrial Supply Group H.B Fuller

Techware Safety Hobson Engineering

Iccons Tremco

Inox World Vinco Hinges & Hardware

Koala Nails

Konstrukt













Synergy Industrial Supply Group www.synergysystems.com.au terracetrading.com.au